



profile-LED SHELF MULTI



application



SHELF MULTI



LED strip max 10 mm



profile LED SHELF MULTI


can be used as a shelf or cables hiding cover giving decorative and uniform light; accessory for cables hiding click-on cover profile; application as a shelf - max. load 7kg

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection




	anodized	black anodized	white painted
1000mm	25020020	1000mm 25020021	1000mm 25020001
2000mm	25030020	2000mm 25030021	2000mm 25030001

cover



cover PH/LO/SM standard	cover PH/LO/SM narrow	cover PH/LO/SM anodized
1000mm 63580000	1000mm 63610000	1000mm 63550020
2000mm 63590000	2000mm 63620000	2000mm 63560020

ending



ending SM	ending SM shelf	ending mounting
25110022	25120022	

mounting


OPTIONAL MOUNTING:



wall bracket SM	anodized 1000 - 25050020 2000 - 25060020	black anodized 1000 - 25050021 2000 - 25060021	white painted 1000 - 25050001 2000 - 25060001	holder SM 25100030
-----------------	--	--	---	-----------------------




LED strip + cable + power supply




socket frame SM 0,5	socket frame SM 1	socket frame SM 2	socket frame mounting
25190020	25200020	25210020	

ARCHI  LED






profile LED MIKRO




application



MIKRO



LED strip max 10 mm



profile LED MIKRO


for lighting a glass 6mm thick

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



anodized		black anodized		white painted	
1000mm	68530020	1000mm	68530021	1000mm	68530001
2000mm	68540020	2000mm	68540021	2000mm	68540001

ending




ending MI


68550000

ENDING THICKNESS INCREASES
THE LENGTH OF THE PROFILE

mounting



mounting LED strips



mounting on glass



LED strip + cable
+ power supply

ARCHI  LED






profile LED FLAT



application



FLAT


LED strip max 10 mm



profile LED FLAT


extremely slim, fit to the plasterboard; does not interfere with the construction of plasterboard; uniform, smooth light; optional diffusing lens; can be mounted to furniture's, walls or floor profiles using mounting plates (easy click system) or directly by screws or using the glue

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection




	anodized	black anodized	white painted
1000mm	23040020	1000mm 23040021	1000mm 23040001
2000mm	23050020	2000mm 23050021	2000mm 23050001

cover




cover SU/GR/CO

white	frosted	transparent
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016



ending



ending FL 23120022	ending FL black 23120002
-----------------------	--------------------------------


ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting


OPTIONAL MOUNTING:



mounting plate SU/GR/CO
76260000





flexible mounting plate SU/GR/CO
76380000



LED strip + cable + power supply



mounting plate FL spring
23130000





glue

OPTIONAL CONNECTOR:



connector SU/GR/CO
76350000



ARCHI LED







profile LED

SLIM



application



SLIM



LED strip max 8 mm



profile LED SLIM


the smallest profile for LED strip 8mm wide, which can be mounted on the surface; various applications

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



	anodized	black anodized	white painted
1000mm	89020020	1000mm 89020021	1000mm 89020001
2000mm	89030020	2000mm 89030021	2000mm 89030001

cover



cover SU/GR/CO

white	frosted	transparent
1000mm 89060038	1000mm 89060039	1000mm 89060016
2000mm 89070038	2000mm 89070039	2000mm 89070016

ending




ending SL 89090022	ending SL with hole 89160022	ending SL black 89090002
-----------------------	---------------------------------	-----------------------------


ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting

OPTIONAL MOUNTING:



holder SL simple
89110030




flexible mounting plate SL
89270019



LED strip + cable + power supply



two-sided adhesive tape
76340000



glue screw

OPTIONAL CONNECTOR:




connector L SL anodized 89150020 black anodized 89150021 white painted 89150001

ARCHILED







profile LED SURFACE



application



SURFACE

strip LED max 10 mm


profile LED SURFACE

profile LED SURFACE can be used as lighting under cupboards, inside cabinets and cupboards; mounted on a flat surface directly or by mounting plate

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



	anodized	black anodized	white painted
1000mm	77260020	1000mm 77260021	1000mm 77260001
2000mm	77270020	2000mm 77270021	2000mm 77270001



UE Patent No. 001321780-0003 photo by TOPMET

cover

cover SU/GR/CO

white	frosted	transparent
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016

transparent white click click

1000mm 76320000	1000mm 76320038
2000mm 76330000	2000mm 76330038

lens 60°

1000mm 76290000	13.8mm	8mm
2000mm 76300000	13.2mm	

ending

ending SU

70360022	ending SU black 70360002
----------	--------------------------

ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting

OPTIONAL MOUNTING:

2-4 pcs./1m /set = 2 pcs/

mounting plate SU/GR/CO 76260000

holder SU simple 77370030

OPTIONAL CONNECTOR:

connector SU/GR/CO 76350000

flexible mounting plate SU/GR/CO 76380000

connector L SU

anodized 77410020
black anodized 77410021
white anodized 77410001

LED strip + cable + power supply

ARCHI LED







profile LED W I D E




application



WIDE



LED strip max 23 mm



profile LED WIDE


for mounting on the surface by using special double-sided adhesive tape; can be used under cupboards e.g. as a lighting of kitchen tops

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection




	anodized	black anodized	white painted
1000mm	84020020	1000mm 84020021	1000mm 84020001
2000mm	84030020	2000mm 84030021	2000mm 84030001

cover



cover WI white	cover WI frosted	cover WI transparent
1000mm 84060038	1000mm 84060039	1000mm 84060016
2000mm 84070038	2000mm 84070039	2000mm 84070016



cover WI
1000mm 84100000
2000mm 84110000



ending



ending WI
84130022





ending WI black
84130002



ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE



ending WI-o
84140022





ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting


OPTIONAL MOUNTING:




holder WI simple
84220030



two-sided adhesive tape
76330000



screw



mounting module LED 1,5W fi30 6led



mounting LED strips



LED strip + cable + power supply

ARCHI LED





profile LED GROOVE



application



GROOVE



LED strip max 10 mm



profile LED GROOVE


profile LED GROOVE - the profile can be installed in furniture or tile gap, in the wall or ceiling.
Mounted directly or by a mounting plate

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection




	anodized	black anodized	white painted
1000mm	76200020	1000mm 76200021	1000mm 76200001
2000mm	76210020	2000mm 76210021	2000mm 76210001


cover




cover SU/GR/CO	white	frosted	transparent
1000mm	76240038	76240039	76240016
2000mm	76250038	76250039	76250016



cover SU/GR/CO	transparent click	white click
1000mm	76320000	76320038
2000mm	76330000	76330038



cover SU/GR/CO	lens 60°
1000mm	76290000
2000mm	76300000




ending



ending GR
76380022



ending GR black
76380002





ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting



OPTIONAL MOUNTING:



mounting plate SU/GR/CO
76260000




flexible mounting plate SU/GR/CO
76380000



LED strip + cable + power supply



two-sided adhesive tape
76340000





glue


OPTIONAL CONNECTOR:




connector SU/GR/CO
76350000



connector L GR



anodized
77410020




black anodized
77410021



white painted
77410001

ARCHILED







profile LED
DEEP



application







profile LED DEEP

profile LED DEEP the profile can be installed in furniture or tile gap, in the wall or ceiling; the profile gives effect of lighting line; 6 different covers;

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



	anodized	black anodized	white painted
1000mm	96020020	1000mm 96020021	1000mm 96020001
2000mm	96030020	2000mm 96030021	2000mm 96030001

cover

cover SU/GR/CO

white	frosted	transparent
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016

transparent	white
click 1000mm 76320000	click 1000mm 76320038
2000mm 76330000	2000mm 76330038

lens 60°
1000mm 76290000
2000mm 76300000

ending

ending DE
96090022

ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting

OPTIONAL MOUNTING:

mounting plate SU/GR/CO
76260000

flexible mounting plate SU/GR/CO
76380000

LED strip + cable + power supply

two-sided adhesive tape
76330000

glue

OPTIONAL CONNECTOR:

connector SU/GR/CO
76350000






profile LED STEP




■ application



STEP



LED strip max 10 mm



profile LED STEP

anti-slip function: two lighting direction, edge or/and upward

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



	anodized	black anodized	white painted
1000mm	32060020	1000mm 32060021	1000mm 32060001
2000mm	32080020	2000mm 32080021	2000mm 32080001

cover




cover SU/GR/CO

transparent white
klik klik

1000mm	1000mm
76320000	76320038
2000mm	2000mm
76330000	76330038



accessories




anti-slip insert ST

1000mm	32130000
2000mm	32150000

cover LED STEP

anodized	
1000mm	32090020
2000mm	32120021
black anodized	
1000mm	32090020
2000mm	32120021

ending




/set= 2pcs/

ending ST


black	silver
32100002	32100022

ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting




profile mounting



lighting angle



LED strip + cable + power supply



LED strip mounting




cover mounting

anti-slip insert mounting

ARCHI LED







profile LED CORNER





application



profile LED CORNER


corner profile 30 or 60 degree;
can be used as a lighting inside cabinets,
wardrobes and cupboards;
can be mounted directly or by mounting plate

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection




	anodized	black anodized	white painted
1000mm	83040020	1000mm 83040021	1000mm 83040001
2000mm	83050020	2000mm 83050021	2000mm 83050001

LIGHTING ANGLE ▶




cover


cover
SU/GR/CO




white	frosted	transparent
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016



transparent white klik	white klik
1000mm 76320000	1000mm 76320038
2000mm 76330000	2000mm 76330038



lens 60°
1000mm 76290000
2000mm 76300000




ending



ending CO
black
83070022




ending CO
white
83070002



left



right




ENDING THICKNESS INCREASES
THE LENGTH OF THE PROFILE

mounting



OPTIONAL
MOUNTING:



mounting plate SU/GR/CO
76260000




flexible mounting plate SU/GR/CO
76380000



LED strip + cable
+ power supply





two-sided adhesive tape
76340000




OPTIONAL
CONNECTOR:



connector SU/GR/CO
76350000



connector L CO anodized 67080020 black anodized 67080021 white painted 67080001







profile LED
TRIO



application







profile LED TRIO

corner profile 45 degree; can be mounted on the surface by screws or inside the gap by glue

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



	anodized	black anodized	white painted
1000mm	91020020	1000mm 91020021	1000mm 91020001
2000mm	91030020	2000mm 91030021	2000mm 91030001

cover

cover SU/GR/CO

white	frosted	transparent
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016

transparent	white
1000mm 76320000	1000mm 76320038
2000mm 76330000	2000mm 76330038

lens 60°
1000mm 76290000
2000mm 76300000

ending

ending TR	ending TR black
91050022	91050002

ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting

OPTIONAL MOUNTING:

screw

glue

mounting LED strips


LED strip + cable + power supply





profile LED **CORNER27**

application





CORNER27

LED strip max 27 mm

profile LED CORNER27

corner 30° | 60°;
can be used as a lighting inside cabinets
and cupboards;
mounted directly or by mounting plate

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection





	anodized	black anodized	white painted
1000mm	98020020	1000mm 98020021	1000mm 98020001
2000mm	98030020	2000mm 98030021	2000mm 98030001

LIGHTING ANGLE ▶




cover



cover
WI ▶ white frosted transparent

1000mm	1000mm	1000mm
84060038	84060039	84060016
2000mm	2000mm	2000mm
84070038	84070039	84070016



ending



ending CO27
98070022




ending CO27
with hole
98060022



left



right




ENDING THICKNESS INCREASES
THE LENGTH OF THE PROFILE

mounting


OPTIONAL
MOUNTING:



2-4 pcs./1m /set= 2pcs/
mounting plate SU/GR/CO
76260000



/set= 2pcs/
flexible mounting plate SU/GR/CO
76380000



LED strip + cable
+ power supply





adhesive tape
76340000




OPTIONAL
CONNECTOR:




connector SU/GR/CO
76350000



LED STRIPS
profile binding:



LED strips



module 1,5W 6led f13


ARCHILED







profile LED

P E N



application







profile LED PEN


for lighting display cases, images, exposure of trinkets; possibility of directing the light; specially tailored lens; various mounting accessories

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



	anodized	black anodized	white painted
1000mm	86020020	1000mm 86020021	1000mm 86020001
2000mm	86030020	2000mm 86030021	2000mm 86030001

cover



cover PE	9,5	11	4,9	11,7
1000mm	86050000			
2000mm	86060000			

mounting


OPTIONAL MOUNTING:



holder PE simple
86370030



holder PE flat
86070022



end holder PE
86160003




holder PE jointed with thread
86090003



LED strip + cable + power supply



holder PE of stretcher
86290003




end holder PE
86160003



holder PE jointed with thread
86090003



holder PE jointed with thread
86090003



holder PE jointed with thread
86090003



holder PE jointed with soffit ceiling
86080003



double holder PE with thread
86330003



double holder PE with thread
86330003



double holder PE with soffit ceiling
86320003





double holder PE with soffit ceiling
86320003





profile LED

TWIN



TWIN


LED strip max 8 mm



profile LED TWIN

for lighting furniture back wall or/and optionally the glass 8mm thick

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



raw aluminum



1000mm	82130000
2000mm	82150000

mounting

OPTIONAL MOUNTING:



mounting LED strips



mounting on glass
set screw 2xM4

OPTIONAL VERSION :



profile LED TWIN Plus

1000mm	82140000
2000mm	82160000



LED strip + cable
+ power supply




ARCHILED





profile LED BACK


application





profile LED BACK

profile can be mounted on a wall or in a cupboard
mounting plate SU/GR/CO can be applied;
two-way glow of light;
decorative lighting


standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



	anodized	black anodized	white painted
1000mm	90020020	1000mm 90020021	1000mm 90020001
2000mm	90030020	2000mm 90030021	2000mm 90030001




cover




cover
SU/BA

white	frosted	transparent
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016



ending




ending BA
90050022


ENDING THICKNESS INCREASES
THE LENGTH OF THE PROFILE

mounting

OPTIONAL
MOUNTING:




mounting plate SU/GR/CO
76260000




flexible mounting plate SU/GR/CO
76380000



LED strip + cable
+ power supply



OPTIONAL
CONNECTOR:



connector SU/GR/CO
76350000







profile LED
**MIKRO-
LINE LINIA**





application




profile LED MIKRO-LINE

for lighting a glass of 5-9mm thick


standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



	anodized	black anodized	white painted
1000mm	70270020	1000mm 70270021	1000mm 70270001
2000mm	70280020	2000mm 70280021	2000mm 70280001



ending




ending M-L


70290000

ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting



mounting LED strips



mounting on glass



LED strip + cable + power supply

